

# Lithium-Ion Batteries and Beyond

TBC Industry Report by Prof. Martin Winter

## TABLE OF CONTENTS

### I. Introduction

#### 1. General principles

- Materials are the Core of the Battery
- Numerous Combinations of Anode, Cathode, and Electrolyte Materials are Possible
- The First Pre-Requisite for High-Energy-Density Batteries: High Voltage plus Materials with High Capacity and Low Mass
- The Origin of High Cell Voltage: Chemistry Tells Us → Need Opposites to Store Lots of Energy
- Large Potential Difference Between Cathode and Anode Results in High Cell Voltage
- Electron Conductor (= Electrode) Immersed into Ion Conducting Medium (= Electrolyte)
- Lithium-Ion Battery (LIB): Active and Inactive Materials
- Batteries: Electron and Ion Transfer between the Electrodes are Separated
- Electron and Ion Conduction in Battery Electrode Materials
- Electron and Ion Conduction in Battery Electrode Materials (Case 1)
- Electron and Ion Conduction in Battery Electrode Materials (Case 2)
- Electron and Ion Conduction in Battery Electrode Materials (Case 3)
- Electron and Ion Conduction in Battery Electrode Materials (Case 4)
- Electron and Ion Conduction in Battery Electrode Materials: Overview
- Active Materials in (Rechargeable) Batteries

#### 2. Li-metal chemistry—the ancestor of Lithium Ion

- Metallic Li and  $\text{Li}^+$ -Ion Storage Materials: Why Li Metal? Why Lithium Ion?
- 1<sup>st</sup> Ancestor of Lithium-Ion Cells: Li-Metal Battery Technology
- High Energy of Solvation of  $\text{Li}^+$  Causes Li Electrode Potential to be Highly Negative
- Small  $\text{Li}^+$ -Ion Radius
- The SEI: The Key to Lithium-Metal Batteries
- SEI: Terminology
- Summary: Why Lithium?
- On the Search for Substrates for Li Deposition: Alloying/Intercalation of Li into Metals/ (Graphitic) Carbon as Side Reaction

- Li/TiS<sub>2</sub> and LiAl/TiS<sub>2</sub> Rechargeable Cell EXXON (70ies)
- Li/MoS<sub>2</sub> Rechargeable Cell Moli Energy (80ies)
- Cell Design for Li/MoS<sub>2</sub> System
- The Rechargeable Lithium Metal Trauma: Beginning in 1989...Still Existent Today
- Rechargeable Li-Metal Cell: High Energy Density, but Dendrite Risk, → Safety Problem
- Solution: Insertion/Intercalation Anode: Li<sup>+</sup> Ion Storage and SEI are Locally Separated

### 3. Lithium-Ion design overview

- Active and Inactive Materials in LIB Cells
- Composite Electrodes: Made from Powdery Materials and Binder Coated on a Current Collector
- The Lithium-Ion Advantage Variability ⇒ Numerous Material Combinations ⇒ Tailored Solutions
- Lithium-Ion Batteries: Enabled by the Electrolyte/Separator
- 2<sup>nd</sup> Ancestor of Lithium-Ion Cell: HSO<sub>4</sub>-Ion Transfer Cell Based on 2 Graphite Electrodes (1938)
- A Drawback of Li Storage Materials: Capacity Dilution by Host Material
- Limitations of Li<sup>+</sup>-Insertion Materials: Limited Li<sup>+</sup>-Ion Transport Rates
- Common Knowledge: There are Rechargeable Batteries with Higher Capacity than LIB; but always Lower Specific Energy
- '4V' Lithium-Ion Batteries: Electrolyte Reduction and Oxidation
- High-Voltage Batteries Need Thermodynamically and/or Kinetically Stable Electrolytes
- Battery Voltages and Electrolyte Stability: Thermodynamic and Kinetic Stability
- From 1791 Until Today ⇒ From Aqueous to Non-Aqueous Electrolytes ⇒ From 1 V to >5 V Batteries

### 4. Battery design trade-offs and limitations

- Why a Battery Cannot Outperform the Internal Combustion Engine (ICE)
- Gasoline vs. Li: A Comparison of Combustion Mechanisms
- Why a Battery Cannot Outperform the Internal Combustion Engine (ICE)
- Theor. Specific Energies (kWh/kg) of Li/Air and Gasoline-Air Systems With/Without Regarding the Weight of the Reaction Products
- 'Good' and 'Bad' Battery Materials
- 'Good Nano'
- 'Bad Nano'
- Multiple Requirements on Battery Materials
- Battery Material Design is Complex - Example: Active Materials
- Systemic Approach: Balance of Properties

## II. Anodes

### 1. Introduction to Lithium-Ion battery materials

- LIBs, Made from Materials
- Material Mapping via Potential vs. Capacity Plots
- Li-Metal Battery and LIB: State of the Art
- Balance of Cathode vs. Anode; Wh/kg & Wh/L:  $\text{LiCoNiO}_2$  vs. Graphite
- LIB: Possibilities for Further Development
- There are Numerous Anode Materials for/in Lithium-Ion Batteries
- Different Lithiation Reaction Mechanisms Result in Two Extreme Performance Patterns

### 2. Carbonaceous and graphitic anodes

- Carbons – Major Anode Material
- Manufacturing of Graphites: Natural and Synthetic
- Manufacturing of Synthetic Graphite
- Graphitic Carbons
- Amorphous (Hard) Carbons
- How to Increase Anode Rate Capability while Keeping High Li Storage Capacity → Core/Shell Carbons
- Monitoring of Carbon Properties: Purity, Uniformity & Physical Properties
- Graphite Particle Shape and Morphology – Examples
- Irreversible Capacity, Reversible Capacity, and Coulombic Efficiency
- Ternary Graphite Intercalation Compounds ( $\text{Li}+(\text{solv})_y\text{C}_n$ ) vs. Binary Intercalation Compounds ( $\text{LiC}_n$ )
- Antidote vs. Solvent Co-Intercalation: Electrolyte Additive!

### 3. Alternatives to carbonaceous and graphitic anodes

- Overview
  - Alternatives to Carbonaceous and Graphitic Anodes
  - The Always First Look at Anode Materials: Capacity!
  - A Second Look, Also Important: Abundance and Costs
  - Comparison of Anode Materials: Operation Potentials
  - Capacity AND De-Lithiation Potential: Impact on Specific Energy
  - Comparison of Anode Materials: Coulombic Efficiency (CE), Voltage Efficiency (VE) and Energy Efficiency (EE)
  - Determination of Energy Efficiency (EE) of Anode (Graphite) and Cathode ( $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ )
  - Efficient Storage and Re-Use of Electricity
- Lithium-Storage Metals and Alloys

- Lithium-Storage Metals and Alloys → Li Alloys
- Lithium-Storage Metals: Gravimetric and Volumetric Capacities
- Charging of Li-Storage Metals and Carbon
- Volume and Structural Changes
- Key Challenges with Li-Storage Metals
- The Established Solution, Part I: Nano-Structures
- Nano-Structured ≠ Nano-Sized
- The Established Solution, Part II: Multiphases and Composites
- Combination of Small Particle Size and Multiphase/Composite Morphologies
- Pure Metal vs. Intermetallic vs. Multiphase Composite: Sn vs. SnSb vs. Sn/SnSb
- Tin Oxides (Fuji Photo Film, 1995)
- Differences in SEI Stability During Cycling
- Apart from Material Structure Measures: What can be done?
- Example for Electrode Measures: Si/C Composite Electrodes: Cu Foil vs. 3D Current Collector
- Today: Silicon Everywhere
- Summary: Strategies to Improve the Performance of Lithium-Storage Metals and Alloys
- Effect of Si Addition to a Graphite Anode with Regard to Balancing in the Cell
- Metal Oxides
  - Metal Oxides – Insertion and Conversion Materials
  - Lithium Titanate – LTO
  - Metal Oxides – Insertion and Conversion Materials

#### 4. Pre-lithiation and other measures to compensate for $C_{irr}$

- Overcoming the Low Coulombic Efficiency and High 1<sup>st</sup> Cycle Irreversible Capacities ( $C_{irr}$ ) of Li-Storage Metals and Conversion Materials
- Pre-Lithiation and Other Measures to Compensate for  $C_{irr}$
- Capacity AND De-Lithiation Potential: Impact on Specific Energy With and Without Pre-Lithiation

### III. Cathodes

#### 1. Introduction: cathode materials classification

- Cathode Materials for/in Li Cells: Classification According to Charging Voltage, Structure and Li-Storage Mechanism
- LIB Cathode Materials: Abbreviations and Terms as Used in the Literature
- LIB Cathode Materials: Present and Future Materials Rely Mainly on Three Different Structure Types
- Cathode Materials for/in Lithium-Ion Cells: Voltage Profiles of Cathode Materials

## 2. Synthesis of cathode materials

- General Synthesis Methods (There are Additional Derivative Methods)
- Annealing, Pellets, Quenching
- Example for Precursor and Synthesis Optimization: Advancing  $\text{LiMn}_2\text{O}_4$  (LMO): GEN 1 → GEN 2
- How to Get a Better (But Also More Complicated) Cathode Material

## 3. Cathode vs. anode: capacity balancing

- Li-Metal Battery and LIB: State of the Art
- Typically, Anode has Higher Capacity than Cathode: Balance of Specific Capacities of Cathode vs. Anode: → Wh/kg
- Balance of Cathode vs. Anode: → Wh/kg and Wh/L -  $\text{LiCoNiO}_2$  vs. Graphite
- Balance of Cathode vs. Anode: → Wh/kg and Wh/L -  $\text{LiNiCoO}_2$  vs. Si
- Balance of Cathode vs. Anode: → Wh/kg and Wh/L -  $\text{LiFePO}_4$  vs. Graphite
- Optimization of Cell Capacity by Enhancement of Anode AND Cathode Capacity
- Balance of Cathode vs. Anode: → Mass vs. Volume Considerations
- LIB: Possibilities for Further Development

## 4. Layered cathode materials

- The Starting Point:  $\text{LiCoO}_2$  (LCO)
- $\text{LiCoO}_2$  (LCO): ► Theoretical vs. Practical Capacity ► Comparison with  $\text{LiNiO}_2$  (LNO)
- Trend in Layered Cathode Materials: ► Stabilization vs. Overcharge and Thermal Instability ► Reduction of Co Content for Cost Reasons
- Layered Ni-rich NCM622 and NCM811 -  $\text{LiNi}_x\text{Mn}_{1-x/2}\text{Co}_{1-x/2}\text{O}_2$  with  $x \geq 0.6$
- Optimized synthesis → Small  $\text{Li}^+/\text{Ni}^{2+}$  Cation Mixing → Better Rate Capability
- Electrochemical Performance of NCM811
- High-Voltage Application of NCM → Metal Dissolution Depends on the Applied Potential (Data at Room Temperature)
- Negative Influence of Dissolved Metal Cations on Electrochemical Performance
- Commercialized for a Long Time, Still High Impact:  $\text{LiNiCoAlO}_2$  (LNCA or NCA)
- Surface Modification of LNCA = Purification → Power Capability
- Coating of LNCA → Reduced Reactivity and thus Better Safety
- Coating of LNCA with LNCM → Better Safety
- Paradox: How to Get More ACTIVE Redox Capacity (= Discharge Capacity) with Redox-INACTIVE Dopants?
- Lithium-Rich and Mn-Rich 'Layered-Layered' Cathode, HE-NCM, LMNC
- Li-Rich Cathode is Charged to High Voltage
- Challenges and Opportunities of 'Lithium-Rich' Cathodes

- Numerous Challenges Need to be Overcome: Li-Mn-O Cathode Materials

## 5. Other cathode materials

- Lithium Manganese Oxide – LMO
- $\text{LiMn}_2\text{O}_4$  (LMO): Theory and Application
- LMO with Improved High Temperature Performance
- $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$  – LNMO, THE High Voltage Cathode
- Lithium Iron Phosphate – LFP
- $\text{LiFePO}_4$ : Back to the Iron Age?
- Thermal Stability of Charged Cathode Materials
- High-Voltage Lithium Metal Phosphates – LMPO, LCPO
- High-Capacity Cathodes for Li-Ion:  $\text{Li}_2\text{FeSiO}_4$
- High-Capacity Cathodes for Li-Ion: Organic  $\text{Li}^+$ -Materials

## 6. Composite cathodes & summary

- Combinations of Cathode Materials
- Physical Blends
- LIB Cathodes: Summary
- Cathode Chemistries: Comparison

## 7. Mutual anode-cathode influence

- Common Knowledge: 1<sup>st</sup> Cycle Capacity Losses Depend on the BET Surface Area of the Graphite Anode
- Both Graphite Anode and LNCM Cathode Show Capacity Losses
- 1<sup>st</sup> Cycle Capacity Losses and BET Surface Area: Li/Graphite Half Cell vs. NCM/Graphite Full Cell
- The Daily Life of a Lithium-Ion Cell:  $\text{LiCoO}_2$  (LCO) vs. Graphite
- Over-Charge in a LCO-Based Lithium-Ion Cell
- Anode (C)  $\leftrightarrow$  Cathode (LCO) Communication
- Full Cell: Capacity Loss at the Anode Leads to Overcharge at the Cathode
- Design of Experiment
- Influence of Surface Area of the Graphite Anode on the LCO Cathode Performance
- Differences in SEI Stability During Cycling
- Si vs. C Anode : Influence of Different SEI Stabilities on LCO Performance
- The Anode Gets the Sniffles, but the Cathode Gets the Flu

## IV. Electrolytes

### 1. Composition of liquid organic-solvent-based electrolytes

- Electrolytes for/in Lithium-Ion and Lithium Batteries

- Liquid Non-Aqueous Electrolytes Mostly Organic-Solvent-Based
- Liquid Electrolytes: Numerous, Almost Uncountable Components
- Performance Requirements Narrow the Number of Practical Components
- Non-Aqueous Liquid Organic Electrolytes

## 2. Conductivity and transport mechanism

- Electrolyte Conductivity: Salt Selection
- Electrolyte Conductivity: Solvent Selection
- Transport Mechanism of Liquid Electrolytes in Comparison to Polymeric and Ceramic Solid Electrolytes
- Search For 'Single Li<sup>+</sup>-Ion Conductors'

## 3. Electrolyte stability and interphase (SEI, CEI) formation

- '4V' and '5V' Lithium Ion: Decomposition of Organic-Solvent-Based Electrolytes
- Anode SEI & Cathode CEI
- High-Voltage Batteries Need Thermodynamically and/or Kinetically Stable Electrolytes
- Battery Voltages and Electrolyte Stability: Thermodynamic and Kinetic Stability

## 4. SEI and CEI analysis

- Thermodynamic Oxidation and Reduction Stabilities of Electrolyte Components
- HV Stable Electrolytes Enabling High Potentials at the Cathode: Thermodynamic vs. Kinetic Approach
- HV Stable Electrolytes: Enabling Low Potentials at the Anode - Kinetic Stability → SEI Formation
- The Challenge: Oxidation-Stable Electrolytes
- Combined Analytical Efforts in Battery (Materials) Analytics
- Analysis → Understanding → Improvement
- Different Effects of Various Electrolyte Decomposition Products on Cell Performance

## 5. SEI forming solvents and electrolyte additives

- Example for SEI Enhancer: SEI-Forming Solvents, e.g. Partially Fluorinated Solvents
- Example for SEI Enhancer: Polymerizable Electrolyte Additives as SEI Enhancer at the Anode
- Electrolyte Additives Make the Difference in Liquid Organic Electrolytes
- Electrolyte Additives for Safety Enhancement
- Electrolyte Additives for Safety Enhancement (Cont'd)
- Over-Charge in a LIB Cell → Multiple Reactions Severely Deteriorating Performance and Safety

## 6. The electrolyte salt: LiPF<sub>6</sub>

- A Major Source of/for Electrolyte Decomposition -The Electrolyte Salt LiPF<sub>6</sub>

- LiPF<sub>6</sub>-Based Electrolytes: There Are More Toxic Compounds Than HF
- Organosphosphates (OPs) React with Enzymes → Amount and Toxic Hazard to be Determined
- Limitations of Liquid Organic Electrolytes – Liquid Solvents

## 7. Ionic Liquids (ILs)

- What are Ionic Liquids?
- Ionic Liquids for High-Voltage Electrochemical Devices
- The Electrolyte: The “Elixir of Life” of a Battery Cell

## V. Inactive Materials

### 1. Overview of active and inactive materials

- Lithium-Ion Battery (LIB): Active and Inactive Materials
- 18650: A Standard Cylindrical Cell - Notebook Computers and Power Tools
- Mass Distribution in an 18650 Cell - 5 Main Groups of Components
- Mass Distribution in an 18650 Cell - Component Details
- Mass Distribution in an 18650 cell - Summary: Active vs. Inactive Materials
- Mass Distribution in an 18650 Cell - Lithium Ion Battery is a “Sham”
- 3.1-Ah 18650 Cylindrical Consumer Cell: Material Costs
- 56-Ah Pouch EV Cell Material Costs
- 5-Ah HEV Cell, 200k Packs per Year - Material Costs

### 2. Separators

- Overview
  - Separators for/in Lithium-Ion Batteries
- Separator types
  - Separator types
- PE separators
  - Polyolefin Separator: Prepared by Wet Processing
  - Polyolefin Separators: Celgard
- Special separators: Tri-layer and ceramic
  - Special Separators, Shut-Down Separators
  - Special Separators: Ceramic Separators
  - Separator Demands: Issues, Accomplishments and To-dos
  - Separators – USABC Requirements for LIB Separators
  - Separators – Definitions / Explanations
- Heat-resistant layer
  - Alternatives to Ceramic Separators: Heat Resistant Layer (HRL) on the Electrode



- Safety considerations from the material side
  - Is a Systematic Approach to Lithium-Ion Cell Safety Possible?
  - The Fire Tetrahedron in a Lithium-Ion Cell – Materials View
  - The Fire Tetrahedron in a Lithium-Ion Cell – Materials View: Countermeasures

### 3. Current collectors

- Composite Electrode Components
- Current Collectors
- Current Collectors: Requirements for LIB
- Li Reaction with Current Collectors: An Issue Since the Beginning of Li Batteries
- Stability of the Cu Current Collector: Dissolution During Over-Discharge
- Stability of the Al Current Collector: Anodic Oxidation and Dissolution; Depending on the Electrolyte Salt

### 4. Binders

- Binders (electrode glue)
- The polymer binder in the electrode works as a flexible adhesive, a link between the electrode particles as well as between the particles and the current collector
- Key Requirements of Binders for LIBs as Materials Themselves
- Binders - Key Attributes During Processing
- Most Prominent Binders
- The Type of Binder Determines Processing Stability and Binder Distribution
- Binder Processing
- Binder Reactivity with Electrode Materials

### 5. Conductive electrode additives

- Conductive Electrode Additives
- Introduction: Carbon Black (CB)
- Basic Properties of Carbon Black
- SE Micrographs of LFP Electrodes with Different CBs
- Conductive Coating (→ Short Range Contact) Conductive Additive (→ Long Range Contact)
- Where Electrolyte Reactions Take Place, e.g., Cathode Side
- High Voltage Cathodes (ca. >4.5 V vs. Li/Li<sup>+</sup>): Anion Intercalation into Carbon!
- Different Functions of Conductive Carbons at 4.0V and 5.0V Charge of the LIB
- LIB Reactions between 0.0V up to 6.0V vs. Li/Li<sup>+</sup>

## VI. Beyond Lithium-Ion Batteries

### 1. Beyond Lithium Ion, before Lithium Ion, parallel to Lithium Ion

- How Much Energy is 1 (one) kWh?
- Post Lithium-Ion (PLIB). Before Lithium-Ion. and Parallel to Lithium-Ion Batteries

- Terminology: Post Lithium Ion (PLIB), Before Lithium Ion, Parallel to Lithium Ion

## 2. How to make high-energy-density (“super”) batteries?

- The First Pre-Requisite for High-Energy Batteries: High Voltage plus Materials with High Capacity and Low Mass
- Large Potential Difference Between Cathode and Anode Results in High Cell Voltage
- The Standard: Non-Aqueous Liquid Organic Electrolytes
- Electrolyte Stability in "4V" and "5V" LIBs: → Electrolyte Reduction and Oxidation
- Specific Capacity in Ah/kg: Active and Inactive Materials in LIBs
- 18650: A Standard Cylindrical Cell: Notebook Computers and Power Tools
- Mass Distribution in an 18650 cell: 5 Main Groups of Components
- Mass Distribution in an 18650 cell: Component Details
- Mass Distribution in an 18650 cell: Summary: Active vs. Inactive Materials
- Mass Distribution in an 18650 Cell: Lithium-Ion Battery is “Sham”
- Material Mapping via Potential vs. Capacity Plots
- Li-Metal Battery and LIB: State of the Art
- Balance of Cathode vs. Anode; Wh/kg & Wh/L: LiCoNiO<sub>2</sub> vs. Graphite
- LIB: Possibilities for Further Development
- Li-Metal Battery: Standard in Primary (Non-Rechargeable) Applications
- Lithium-Metal Rechargeable Batteries; New Options: Sulfur and Oxygen (Air)

## 3. Specific energy vs. energy density: A necessary look at new cell chemistries

- Material Mapping: Volumetric (Ah/L) and Specific Capacities (Ah/kg)
- LIB: Possibilities for Further Development
- Installation Space: Volumetric Capacities
- LIB und PLIB: Volumetric Capacities
- Energy Density vs. Specific Energy: Cell & System Level (Lit. Data, Practical Values)

## 4. Lithium/sulfur chemistry

- Lithium/Sulfur: Not so Simple
- Li/S: Capacity Fade in the 1st 50 -100 Cycles
- Li/S (and Li/Air) Need New Electrode, Cell and Battery System Designs in Addition to Improved Cell Chemistries
- Shape Change at the Lithium Anode
- Shape Change at the Sulfur Cathode
- Polysulfides Li<sub>2</sub>S<sub>x</sub> (x = 2, 4, 6, 8): More Challenges than Advantages
- Li/S (and Li/Air) at the Anode Side? Dynamic Interface with the Electrolyte

## 5. Lithium/air chemistry

- Metal/Air Batteries: Even More Complicated

- Theoretical Specific Energies of Metal/Air Cells in Comparison
- Non-Aqueous Electrolyte Li/Air Cell
- Li/Air: New Electrolytes are Needed
- 'Artificial' vs. Natural SEI: for Li-S, Li-Air Cells and More?
- A Way Out of the Dilemma? Protected Li Metal Anodes
- Li/Air Cells with Various Electrolytes and with a Solid Electrolyte (SE) Membrane: Overview
- Li/Air Cells with Various Electrolytes and with a Solid Electrolyte Membrane: a) Non-Aqueous Li/Air Cell; No SE
- Li/Air Cells with Various Electrolytes and with a Solid Electrolyte Membrane: b) Aqueous Li/Air Cell
- Li/Air Cells with Various Electrolytes and with a Solid Electrolyte Membrane: c) Hybrid Li/Air Cell
- Li/Air Cells with Various Electrolytes and with a Solid Electrolyte Membrane: d) All Solid State Li/Air Cell

## **6. Solid electrolytes: polymeric and ceramic**

- Beyond Liquid Organic-Solvent-Based Electrolytes
- Physicochemical, Mechanical, and Electrochemical Properties LE vs. SE
- Cell Manufacturing: LE vs. SE
- State of the Art and Challenges of Solid Electrolytes
- Solid Electrolytes: Polymer Electrolytes
- Solid Electrolytes with Glassy or Ceramic Composition
- Conductance (S) vs. Conductivity (S/cm)
- Processing Routes → Solid Electrolyte Battery Manufacturing
- Specific Energy (Wh/kg) Considerations: Liquid Electrolyte (LE) vs. Solid Electrolyte (SE) Cells and Packs
- Cost of Li-Metal Anode / SE Cells

## **7. Alternative chemistries: Na, Na-Ion, Mg, Al, Dual-Ion**

- Why Alternative Anodes: Abundance Reasons
- Alternative Metal Anodes: Specific Capacities
- Alternative Metal Anodes: Volumetric Capacities
- Summary: Why Alternative Anodes?
- The SEI: The Key to Metal Batteries
- Aqueous Metal/Air Batteries: → Zn/Air Batteries as Prominent Example
- Volta-Pile (1800): First Practical Battery Ever; Is Actually a Metal/Air Battery
- Rechargeable Alkaline Electrolyte Zinc/Air Battery (= 'Zinc/Air Fuel Cell')
- Na/Air and Na-Ion Battery (NIB) Chemistries

- Multi-Valent Cation Battery Chemistries: ( $\text{Be}^{2+}$ ),  $\text{Mg}^{2+}$ , ( $\text{Ca}^{2+}$ ), and  $\text{Al}^{3+}$
- Non-aq. Electrolyte Magnesium Battery Chemistries
- Efficient Storage and Re-Use of Electricity
- Aluminum/Air Battery
- Dual-Ion Battery Chemistries
- Thinking in Generations and Roadmaps